

PUBLICATIONS VDR KOGNISJON OG PSYKOSE/PSYKISKE LIDELSER/RUS AV MERETE G. ØIE

1. Rund, R., Øie, M., & Sundet, K. (1996) Backward-Masking in adolescents with schizophrenic disorders or Attention Deficit Hyperactivity Disorder. *American Journal of Psychiatry*, 153, 1154-1157.
2. Øie, M., Rund, B.R., & Sundet, K. (1998) Covert visual attention in patients with early-onset schizophrenia. *Schizophrenia Research*, 34, 195-205.
3. Øie, M., Rund, B.R., Sundet, K., & Bryhn, G. (1998) Auditory laterality and selective attention: Normal performance in patients with early-onset schizophrenia. *Schizophrenia Bulletin*, 24, 643-652.
4. Rund, B.R., Zeiner, P., Sundet, K., Øie, M., & Bryhn, G. (1998) No vigilance deficit found in either young schizophrenic or ADHD subjects. *Scandinavian Journal of Psychology*, 39, 101-107.
5. Rund, B.R., Øie, M., & Sundet, K. (1999) Span of apprehension in adolescents with schizophrenia or ADHD. *Schizophrenia Research*, 40, 257-258.
6. Øie, M., Sundet, K., & Rund, B.R. (1999) Contrasts in memory functions between adolescents with schizophrenia or ADHD. *Neuropsychologia*, 37, 1351-1358.
7. Øie, M., & Rund, B.R. (1999) Neuropsychological deficits in adolescent-onset schizophrenia compared with attention deficit hyperactivity disorder. *American Journal of Psychiatry*, 156, 1216-1222.
8. Ueland, T., Øie, M., Landrø, N.I., & Rund, B.R. (2004) Cognitive functioning in adolescents with schizophrenia spectrum disorders. *Psychiatry Research*, 126, 229-239.
9. Løberg, E.M., Jørgensen, H.A., Green, M.F., Rund, B., Lund, A., Øie, M., & Hugdahl, K. (2006) Positive symptoms and duration of illness predict functional laterality and attention modulation in schizophrenia. *Acta Psychiatrica Scandinavia*, 113, 322-331.
10. Øie, M., & Hugdahl, K. (2008) A 10-13 year follow-up of changes in perception and executive attention in patients with early-onset schizophrenia: A dichotic listening study. *Schizophrenia Research*, 106, 29-32.
11. Øie, M., Sundet, K., & Rund, B.R. (2010) Neurocognitive decline in early-onset schizophrenia compared to ADHD and normal controls: Evidence from a 13-year follow-up study. *Schizophrenia Bulletin*, 36, 557-565.
12. Skogli, G.W., & Øie, M. (2010) Disorganized attachment from a psychobiological perspective. *Journal of the Norwegian Psychological Association*, 47, 403-407.
13. Øie, M., Sundet, K., & Ueland, T. (2011) Neurocognition and functional outcome in early-onset schizophrenia and attention-deficit/hyperactivity disorder: A 13-year follow-up. *Neuropsychology*, 25 (1), 25-35.
14. Haug, E., Melle, I., Andreassen, O., Raballo, A., Bratlien, U., Øie, M., Lien, L., & Møller, P. (2012) The association between anomalous self-experience and suicidality in first episode schizophrenia seems mediated by depression. *Comprehensive Psychiatry*, 53 (5), 456-460.
15. Andersen, P.N., Egeland, J., & Øie, M. (2013) Memory and learning in Children and Adolescents with Attention deficit hyperactivity disorder (ADHD) compared with healthy controls. *Journal of Learning Disabilities*, 46 (5), 453-60.
16. Haug, E., Lien, L., Raballo, A., Bratlien, U., Øie, M., Andreassen, O., Melle, I., & Møller, P. (2012) Selective aggregation of self-disorders in first-treatment DSM-IV schizophrenia spectrum disorders. *Journal of Nervous and Mental Disease*, 200, 632-636.
17. Haug, E., Øie, M., Melle, I., Andreassen, O.A., Raballo, A., Bratlien, U., Lien, L., & Møller, P. (2012) The association between self-disorders and neurocognitive dysfunction in schizophrenia. *Schizophrenia Research*, 135 (1-3), 79-83.
18. Øie, M. (2012) ADHD and schizophrenia in adolescence; Results from 13 year follow up of cognition and everyday functioning. *Journal of the Norwegian Psychological Association*, 49, 356-359.

19. **Øie, M.**, Skogli, E.W., Andersen, P.N., Hovik, K.T. & Hugdahl, K. (2014) Differences in cognitive control in children and adolescents with combined and inattentive subtypes of ADHD. *Child Neuropsychology*, 20(1), 38-48.
20. Bratlien, U., **Øie, M.** Lien, L., Agartz, I., Romm, K.L., Vaskinn, A., Ueland, T., Andreassen, O.A., & Melle, I. (2013) Social dysfunction in first-episode psychosis and relations to neurocognition, duration of untreated psychosis and clinical symptoms. *Psychiatry Research*, 15, 207 (1-2), 33-39.
21. Skogli, E.W., Egeland, J. Andersen, P.N., Hovik, K.T. & **Øie, M.** (2014) Few differences in hot and cold executive functions in children and adolescents with combined and inattentive subtypes of ADHD. *Child Neuropsychology*, 20(2), 162-81.
22. Andersen, P.N, Hovik, K.T, Skogli, E.W, Egeland, J. & **Øie, M.** (2013) Symptoms of ADHD in children with high-functioning autism are related to impaired verbal working memory and verbal delayed recall. *PLoS One*. 2013 May 22, 8 (5) e64842. doi: 10.1371/journal.pone.0064842.
23. Skogli, E.W., Teicher, M., Hovik, K.T., Andersen, P.N., & **Øie, M.** (2013) ADHD in girls and boys – gender differences in co-existing symptoms and executive function measures. *BMC Psychiatry*, Nov 9, 13:298. doi: 10.1186/1471-244X-13-298.
24. Hovik, K.T., Plessen, K., Skogli, E.W., Andersen, P.N., & **Øie, M.** (2013) Dissociable inhibitory control in children with Tourettes Syndrome and Attention-Deficit/Hyperactivity Disorder. *Journal of Attention Disorders*. 2013 Nov 25. [Epub ahead of print].
25. Haug, E., **Øie, M.**, Andreassen, O.A, Bratlien, U., Raballo, A., Nelson, B., Møller P., & Melle, I. (2013) Self-disorders contribute independently to social dysfunction in the early phases of schizophrenia and bipolar disorder. *Comprehensive Psychiatry*. 2013 Nov 28. pii: S0010-440X(13)00340-4. doi: 10.1016/j.comppsy.2013.11.010. [Epub ahead of print].
26. Bratlien, U., **Øie, M.**, Haug, E., Møller, P., Andreassen, O., Lien, L., & Melle, I. (2014) Environmental factors during adolescence associated with later development of psychotic disorders- a nested case-control study. *Psychiatry Research*. 30;215(3):579-85. Jan 9. pii: S0165-1781(14)00003-1. doi: 10.1016/j.psychres.2013.12.048. [Epub ahead of print].
27. Skogli, E.W., Hovik, K.T., Andersen, & **Øie, M.** (2014) Development of hot and cold executive functions in boys and girls with ADHD: A 2- year longitudinal study. *Journal of Attention Disorders*. 2014 Mar 13. [Epub ahead of print].
28. Juuhl-Langseth, M., Holmén, A., Thormodsen, R., **Øie, M.** & Rund, B.R. (2014) Relative stability of neurocognitive deficits in early onset schizophrenia spectrum patients. *Schizophrenia Research*, 156(2-3), 241-247. May 5. pii: S0920-9964(14)00186-8. doi: 10.1016/j.schres.2014.04.014. [Epub ahead of print]
29. Hovik, K.T., Egeland, J., Isguith, P.K., Gioia, G., Skogli, E.W., Andersen, P.N., & **Øie, M.** (2014) Distinct Patterns of Everyday Executive Function Problems Distinguish Children With Tourette Syndrome From Children With ADHD or Autism Spectrum Disorders. *Journal of Attention Disorders* published online 24 September 2014, DOI: 10.1177/1087054714550336
30. Haug, E., **Øie, M.**, Andreassen, O.A., Bratlien, U., Nelson, B., Møller, P., Aas, M., & Melle, I. (2015) Anomalous Self-Experience and Childhood Trauma in First-Episode Schizophrenia. *Comprehensive Psychiatry* Compr Psychiatry. 2015 Jan;56:35-41. doi: 10.1016/j.comppsy.2014.10.005. Epub 2014 Oct 16. 55
31. Bratlien, U., **Øie, M.**, Haug, E., Møller, P., Andreassen, O., Lien, L., & Melle, I. (2015) Self-reported symptoms and health service use in adolescence in persons who later develop psychotic disorders: A prospective case-control study. *Early Intervention in Psychiatry*, 9(3):221-227. Nov 14. doi: 10.1111/eip.12102. [Epub ahead of print].
32. Andersen, P.N., Skogli, E.W, Hovik, K.T, Geurts, H., Egeland, J., & **Øie, M.** (2015) Working memory arrest in children with high-functioning autism compared to children with ADHD: Results from a two year longitudinal up study. *Autism*. March 2014 [Epub ahead of print] DOI: 10.1177/1362361314524844. Vol 19(4) 443–450.

33. Haug, E., **Øie, M.**, Andreassen, O.A., Bratlien, Nelson, B., Melle, I., & Møller, P. (2015) High levels of anomalous self-experience are associated with longer duration of untreated psychosis. *Early Intervention in Psychiatry*. 2015 Jan 15. DOI: 10.1111/eip.12220. [Epub ahead of print]
34. Andersen, P. N., Skogli, E. W., Hovik, J., Egeland, J., & **Øie M.** (2015) Associations Among Symptoms of Autism, Symptoms of Depression and Executive Functions in Children with High-Functioning Autism: A 2 Year Follow-Up Study. *Journal of Autism and Developmental Disorders (JADD)* DOI. 0.1007/s10803-015-2415-8
35. Håkansson, U., Hals, A, Söderström, K., Skårderud, F., **Øie, M.** (2016). Keeping mind in mind – mentalizing and executive functioning in substance-abusing infant mothers, effect on dyadic relationship and infant outcome. *Substance Abuse: Research and Treatment*. 2016 Jan 19;9(Suppl 2):93-8. doi: 10.4137/SART.S23502. eCollection 2015
36. Hovik, K.T., Plessen, K.J., Cavanna, A.E., Skogli, E.W., Andersen, P.N., & **Øie, M.** (2015). Cognition, Emotion and Behavior in Children with Tourette's Syndrome and Children with ADHD-Combined Subtype - A two-year follow-up study. *PLOS ONE*, DOI:10.1371/journal.pone.0144874 December 16, 2015.
37. **Øie, M.**, Hovik, K.T., Andersen, P.N. Czajkowski. N.O., Skogli, E.W. (2016). Gender differences in the relationship between changes in ADHD symptoms, executive function, and self- and parent-report depression symptoms in boys and girls with ADHD: A two-year follow-up study" *Journal of Attention Disorders*, 2016 Aug 22. pii: 1087054716664407. [Epub ahead of print]
38. Andersen, P.N., Skogli, E.W., Hovik, K.T., **Øie, M.** Utvikling av eksekutive funksjoner hos barn med høytfungerende autisme og barn med ADHD. *Nevropsykologi*, in press

Other articles:

- Øie, M.** (2003) Neurocognitive testing of patients with schizophrenia- why? www.Schizofreniforum.com.
- Øie, M.** (2005) Cognitive deficits and consequences for treatment. *Nevropsykologi*, 8, 13-15.
- Øie, M.** (2007) Cognitive deficits and consequences for treatment. *Dialog*, 1, (17)29-3.
- Skogli, E.W. & **Øie, M.** (2014). Gutter og jenter med ADHD – kjønnsforskjeller i eksekutiv funksjonsprofil og komorbide vansker. *BestPractice psykiatri/ nevrologi*, May, s 28-30.

Book chapters:

- Øie, M.**, Rund, B.R., Fjell, A., & Borchgrevink, T. S. (1993) Relationship between expressed emotion (EE), Communication efficiency and outcome in young subjects with schizophrenia. I T. S. Borchgrevink, B. R. Rund and A. Fjell (Red.) *Psychosocial treatment in psychosis*. Oslo: Universitetsforlaget.
- Øie, M.** Cognitive deficits in schizophrenia. (2005) In *FRAM; Rehabilitation in schizophrenia*. Kjær, R. Lindroth, L. & Melle, I. (red.), AstraZeneca.
- Øie, M.** (2005) Cognitive functioning in adolescents with schizophrenia. In Rund, B.R. (red.) *Schizophrenia*. Hertvig forlag, 2005, 2011.
- Øie, M.** (2012) Regulation of thoughts and feelings in children and adolescents with ADHD. In (red). Fladeby, Andersson and Gjerstad. *Nevropsykiatri: Metoder og kliniske perspektiver*. Gyldendal.

Outreach- Popular science and news articles:

- Ueland, T., & **Øie, M.** Kognitiv svikt ved psykoser: *Et informasjonshefte for personer med psykotiske lidelser, deres familie og venner*. Stiftelsen Psykiatrisk Opplysning, 2006. Nytt opplag 2008 og 2010.
- Øie, M.** Mangelfull kunnskap øker antall uføre. *Debattinnlegg/kronikk Dagens Næringsliv*, Side 27, 2013.
- Øie, M.** Cognitive functions in drug abuse. Video ROP TV. (February, 11th 2016) <http://roptv.no/>